



BLUECHIP

Natural Cladding

EQUITONE

# Product Brochure

[www.bluechipgroup.net.au](http://www.bluechipgroup.net.au)











# EQUITONE

## Through-colour Fibre Cement Panel

### Description

EQUITONE is a through-coloured fibre cement cladding designed by and for architects. Every EQUITONE panel is unique, showing the raw, untreated texture of the fibre cement base material. Fibre cement is a cement composite material that consists of cement, cellulose and mineral materials, reinforced by a visible matrix. Nothing else. Visible and invisible fixing methods include riveting, screwing and bonding on metal or wood supporting frames. No matter what design options you explore, the through-coloured nature of EQUITONE assures crisp, monolithic details in a wide range of unique finishes.

### Product Benefits

 <p><b>THROUGH-COLOUR MATERIAL</b> EQUITONE through-colour fibre cement cladding offers elegant shades of natural colour. Every EQUITONE panel is unique, showing the raw, untreated texture of the fibre cement base material.</p>	 <p><b>NON-COMBUSTIBLE</b> EQUITONE through-colour fibre cement cladding is a non-combustible facade material that can be used internally or externally wherever a non-combustible material is required.</p>
 <p><b>EASY TO CUT &amp; INSTALL</b> EQUITONE through-colour fibre cement cladding is easily cut to size and installed onsite minimising lengthy lead times between site measure, production and delivery of pre-finished panels.</p>	 <p><b>LOCAL STOCK AVAILABLE</b> EQUITONE through-colour fibre cement cladding is readily available with over 10 colours in stock Australia wide. Please contact us to confirm the stock range and current available sheet sizes.</p>
 <p><b>REPELS WATER</b> EQUITONE tectiva panels receive a hydro-phobation process which prevents moisture ingress into the core of the panel. This allows the completely raw panel to be exposed to the elements without any treatment.</p>	 <p><b>MAINTENANCE FREE</b> EQUITONE through-colour fibre cement cladding is a truly maintenance free material with no re-sealing, painting or ongoing maintenance ever required during install or anytime thereafter.</p>
 <p><b>HIGH DURABILITY</b> EQUITONE through-colour fibre cement cladding is an exceptionally durable panel. Even in the most demanding applications EQUITONE has a structural life expectancy exceeding 50 years.</p>	 <p><b>VENTILATED SYSTEM</b> EQUITONE cladding is installed on a ventilated sub-construction system allowing for the building envelope to breathe which increases thermal and energy efficiency and promotes healthier buildings.</p>

### INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.



## Product Range




EQUITONE  
Tectiva Finish



EQUITONE  
Natura Finish



EQUITONE  
Lines Finish



EQUITONE  
Lunara Finish



EQUITONE  
Pictura Finish

## Availability

DESCRIPTION	SHEET SIZES	LEAD TIME	MOQ
EQUITONE Tectiva TE90, TE10, TE20	2500, 3050 x 1220mm	Stock	1 Sheet
EQUITONE Tectiva TE00, TE15, TE60	2500, 3050 x 1220mm	2-3 Weeks	1 Sheet
EQUITONE Tectiva TE30, TE40	2500, 3050 x 1220mm	14-16 Weeks	40 Sheets
EQUITONE Natura N154, N161, N991, N593, N412, N252, N250, N251, N074	2500, 3100 x 1250mm	2-3 Weeks	1 Sheet
EQUITONE Natura All Other Colours	2500, 3100 x 1250mm	14-16 Weeks	30 Sheets
EQUITONE Lines	2500, 3050 x 1220mm	2-3 Weeks	1 Sheet
EQUITONE Lunara	2500, 3050 x 1220mm	14-16 Weeks	30 Sheets
EQUITONE Pictura	2500, 3100 x 1250mm	14-16 Weeks	30 Sheets

## Accessories

CODE	DESCRIPTION	LEAD TIME	MOQ
EQR***	EQUITONE Uni Rivet (Insert Colour), 250 Pack	Stock	1 Pack
EQUFPS	EQUITONE Uni Rivet Fixed Point Sleeve, 100 Pack	Stock	1 Pack
EQUITS***	EQUITONE Uni Timber Screw (Insert Colour), 250 Pack	3-4 Weeks	1 Pack
EQUSS	EQUITONE Uni Screw Sleeve, 250 Pack	3-4 Weeks	1 Pack
EQLUK10	LUKO 1 Litre Edge Sealer (Natura Only)	Stock	1 Can

## System Components




Facade System



AS 1530.1 Insulation



Class 4 Membrane



Steel Top-hats




Joint Sealant

# EQUITONE

## Colour Chart

(s) after colour names indicates stock colours. All other colours require lead times and minimum order quantities.

### Equitone Tectiva



TE90  
White (s)

TE00  
Calico (s)

TE10  
Natural (s)

TE60  
Hessian (s)

TE15  
Concrete (s)

TE20  
Raw Grey (s)

TE30  
Sandstorm

TE40  
Sahara



TE85  
Graphite

### Equitone Natura



N164  
White

N162  
Chalk Grey

N154  
Cream White


N861  
Tawny Hue

N961  
Ecru

N161  
Pale Mist

N163  
Soft Grey

N211  
Classic Grey



N252  
Ash Grey



N891  
Beach Stone



N892  
Fossil Grey



N250  
Natural Grey



N294  
Portland



N281  
Nimbus




N251  
Anthracite




N073  
Charcoal



N074  
Obsidian



## Equitone Natura (Special Colours)



N661  
Muted Yellow

N662  
Summer Haze

N593  
Green Mist

N594  
Jadeite Green

N411  
Sea Mist

N412  
Blue Grey

N991  
Autumn Dusk


N972  
Sepia



N331  
Agate Red

N359  
Ruby

## Equitone Lines



LT00  
Cream White

LT10  
Beige

LT15  
Light Grey

LT20  
Raw Grey


LT30  
Ochre Yellow

LT40  
Red

LT60  
Hessian

LT90  
White

## Equitone Lunara



LA60  
Hessian

LA20  
Raw Grey



# EQUITONE

## Colour Chart

### Equitone Pictura







We've Got It Covered



V1124



**Blue Chip Group Pty Ltd**

SYDNEY | MELBOURNE | BRISBANE | PERTH | ADELAIDE

P 1300 945 123

E [sales@bluechipgroup.net.au](mailto:sales@bluechipgroup.net.au)

[www.bluechipgroup.net.au](http://www.bluechipgroup.net.au)

DISCLAIMER No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.