



# ULTRAWOOD Cladding Brochure

[www.bluechipgroup.net.au](http://www.bluechipgroup.net.au)











# ULTRAWOOD

## Non-combustible Timber Cladding

### Description

ULTRAWOOD non-combustible timber cladding is an innovative new generation cladding product made from highly durable marine-grade aluminium and factory prefinished using the latest matt-effect coating technology. Available in a wide range of realistic timber colours, ULTRAWOOD is deemed-to-satisfy non-combustible a per NCC 2022, Clause C2D10 requirements and has been fully tested in Australia by CSIRO to AS 1530.1 and AS 1530.3. Eco-friendly, low maintenance and incredibly strong, ULTRAWOOD is ideal for type A and B construction projects such as high-rise apartments which require non-combustible cladding.

### Product Benefits





 <p><b>AS 1530.1 NON-COMBUSTIBLE</b></p> <p>ULTRAWOOD is a non-combustible cladding product in accordance with the relevant requirements of the NCC 2022, Clause C2D10 and has been tested by NATA accredited CSIRO to AS 1530.1 and AS 1530.3.</p>	 <p><b>MARINE GRADE DURABILITY</b></p> <p>Made from 100% marine-grade aluminium, ULTRAWOOD offers outstanding long-term durability and strength with guaranteed resistance against; twisting, warping, rotting, splitting, cracking or insect attack.</p>
 <p><b>INTELLIGENT PROFILE</b></p> <p>The ULTRAWOOD profile has been intelligently designed to provide excellent usability such as multi-angle mating and it has double swarf-free contact points for superior consistency and weather-proofing.</p>	 <p><b>EASY INSTALLATION</b></p> <p>Supplied in custom lengths, ULTRAWOOD has 155mm cover per board making it fast and easy to install to a simple sub-frame at 600mm centres using secret-fix screws and a colour-matched trim system.</p>
 <p><b>VERY LIGHT-WEIGHT</b></p> <p>Compared to many other timber cladding products, ULTRAWOOD is a very light-weight system weighing only 8.75kg per square metre offering potential structural advantages and cost savings.</p>	 <p><b>SUSTAINABLE CHOICE</b></p> <p>ULTRAWOOD is one of the most sustainable construction materials because it can be infinitely recycled without losing any of its outstanding physical properties. 85% of aluminium ever-made is still in use today.</p>
 <p><b>NATURAL AESTHETICS</b></p> <p>The attractive finish on the ULTRAWOOD boards is possible because the latest matt-effect coating technology provides incredible natural variation along with outstanding long-term protection for the aluminium.</p>	 <p><b>COLOUR-MATCHED TRIMS</b></p> <p>The ULTRAWOOD system is completed using the CLADTRIM click-together trim system covering all common construction details and finished in exactly the same matt-effect coating for a perfect match.</p>

### INSTALL & TECHNICAL

For installation and technical information, scan the QR code and view 'Downloads' tab.



## Profiles

	<b>Code:</b> UW*G ULTRAWOOD 155 x 18 Groove Profile
	<b>Code:</b> UW*C ULTRAWOOD 155 x 25 Cabin Profile
	<b>Code:</b> UW*F ULTRAWOOD 155 x 18 Flute Profile
	<b>Code:</b> UW*D ULTRAWOOD 155 x 18 Duo-flute Profile
	<b>Code:</b> UWC15024 ULTRAWOOD 150 x 24 Castellated Profile

## Availability

CODE	DESCRIPTION	LEAD TIME	MOQ
UW*G15518	ULTRAWOOD 155 x 18mm Groove (Colour), 6.5m Length	4-5 Weeks	1 Length
UW*C15525	ULTRAWOOD 155 x 25mm Cabin (Colour), 6.5m Length	8-10 Weeks	50 Lengths
UW*F15518	ULTRAWOOD 155 x 18mm Flute (Colour), 6.5m Length	8-10 Weeks	50 Lengths
UW*D15518	ULTRAWOOD 155 x 18mm Duo-flute (Colour), 6.5m Length	8-10 Weeks	50 Lengths
UWC15024	ULTRAWOOD 150 x 24mm Castellated (Colour), 5.0m Length	8-10 Weeks	50 Lengths

## Colour-Matched Trims

CODE	DESCRIPTION	LEAD TIME	MOQ
CT*SS	CLADTRIM J-shape Starter Strip (Colour), 5.5m Length	2-3 Weeks	1 Length
CT*ZPET	CLADTRIM Z-shape Joint Profile (Colour), 5.5m Length	2-3 Weeks	1 Length
CT*CP	CLADTRIM 40mm 2-piece Corner (Colour), 5.5m Length	2-3 Weeks	1 Length
CT*CS	CLADTRIM 40mm 2-piece Cover Strip (Colour), 5.5m Length	2-3 Weeks	1 Length
CT*ZPET	CLADTRIM 40mm 2-piece Edge Trim (Colour), 5.5m Length	2-3 Weeks	1 Length
CT*XXX	CLADTRIM 50/40/20mm Angle (Colour), 6.5m Length	2-3 Weeks	1 Length

\*The asterisk in the code denotes the specified type of finish to be applied to the aluminium extrusion as follows:  
 U = Ultrawood Timber Colours, A = Anodised Colours and P = Powdercoat Colours.

## System Components




Facade System



AS 1530.1 Insulation



Class 4 Membrane



Steel Top-hats







































Joint Sealant

# ULTRAWOOD

## Colour Chart

### Ultrawood Colours

							
UW0123 Alabama White	UW0903 Ivory Coast	UW1315 Miry Oak	UW0402 Dusty Balsa	UW2015 Tasmanian Oak	UW1816 Rustic Pine	UW0615 Golden Oak	UW0120 African Teak
							
UW0813 Honey Maple	UW1907 Banjo Gum	UW0515 English Oak	UW2311 Woodstock	UW0406 Douglas Fir	UW1903 Southern Cyprus	UW0220 Burmese Teak	UW1005 Japanese Elm
							
UW1540 Dark Cedar	UW1102 Khaya Bean	UW1523 Old Walnut	UW0223 Black Wenge	UW1813 Rich Mahogany	UW1809 Red Iroko	UW1403 Native Cherry	UW2303 West Coast Cedar
							
UW0302 Coastal Blackwood	UW1120 Kontiki Balsa	UW0103 Alaskan Cedar	UW1703 Queensland Cedar	UW1510 Meranti	UW2203 Vancouver Cedar	UW0318 Californian Redwood	UW2503 Yukon Cedar
							
UW1410 Nannup Jarrah	UW0202 Bowral Bluegum	UW1311 Manjimup Karri	UW1580 African Ebony				

### Material Colours

							
UL0102 Authentic Brushed	UL0116 Authentic Polished	UL0114 Authentic Natural	UL0318 Coral Rust	UL1914 Scintillation	UL2118 Uluru Rust	UL0418 Dark Rust	UL2116 Uluru Polished
							
UL2114 Uluru Natural	UL0202 Bronze Brushed	UL1502 Ochre Brushed	UL1514 Ochre Natural				

# CLYDESTONE SQUARE

---

Architect	Rothelowman Architects
Builder	ADCO Constructions
Address	Matterhorn Drive, Clyde North VIC 3978
Product	ULTRAWOOD 340 x 25mm Castellated Profile
Colour	



UW1315  
Miry Oak






# ULTRAWOOD

## ONE SUBIACO APARTMENTS

- Architect Hames Sharley
- Builder Multiplex
- Address 24 Rokeby Road, Subiaco WA 6008
- Product ULTRAWOOD 155 x 18mm Groove Cladding
- Colour
 



UW1540  
Dark Cedar



# BROOKLANE SHOPPING CENTRE

Architect	TRCB (Taylor Robinson Chaney Broderick)
Builder	Capstone Constructions
Address	80 Maffina Parade, Ellenbrook WA 6069
Product	ULTRAWOOD 155 x 18mm Groove Cladding
Colour	



UW0515  
English Oak





We've Got It Covered



V0525



Blue Chip Group Pty Ltd

SYDNEY | MELBOURNE | BRISBANE | PERTH | ADELAIDE

P 1300 945 123

E [sales@bluechipgroup.net.au](mailto:sales@bluechipgroup.net.au)

[www.bluechipgroup.net.au](http://www.bluechipgroup.net.au)

**DISCLAIMER** No information or advice contained in this publication is binding in any way shape or form and is provided on a without prejudice basis. All photographs and colour swatches are indicative only. All dimensions are nominal and all product data and specifications are subject to change without notice. All pricing, sales, communications and transactions are subject to Blue Chip Group's terms of trading which are available on request.